



**Annett**Cross-Reference (Fabric) **Magis Net**F-763
nero
black**Composition**
100% polyester
Lightfastness
6 (ISO 1-8)**Abrasion**
100 000 Martindale**Brut Sofà****Kvadrat Vidar**

| | | | | | | | | | | | | |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|----------------|----------------|---------------|
| AS1 (143) | AS2 (152) | AS3 (182) | AS4 (222) | AS5 (443) | AS6 (554) | AS7 (582) | AS8 (622) | AS10 (872) | AS11 (932) | AS12 (1062) | AS13 (1880) | AS15 (733) |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|----------------|----------------|---------------|

**Composition**
6% polyamide
94% new wool**Abrasion**
100 000 Martindale**Pilling**
Note 4, EN ISO 12945**Lightfastness**
Note 5-7, ISO 105-802**Flame resistance**
BS 5852 ignition source 2-3
Crib 5 when flame protected
DIN 4102 B2, NF D 60 013
EN 1021-1/2
UNI 9175 11M
US Cal. Tech. Bull. 117 IMO**Chair_One (cushion)****Kvadrat Steelcut Trio**

| | | | | | | |
|----------------------------------|--------------------------------------|-------------------------------|-------------------------------|--|---------------------------------|--|
| F-088 (533) arancio orange | F-222 (983) azzurra light blue | F-266 (205) beige beige | F-354 (953) verde green | F-521 (383) marrone scuro dark brown | F-578 (453) giallo yellow | F-741 (133) grigio chiaro light grey |
|----------------------------------|--------------------------------------|-------------------------------|-------------------------------|--|---------------------------------|--|

**Composition**
10% nylon
90% new wool**Abrasion**
100 000 Martindale**Pilling**
3-4, EN ISO 12945**Lightfastness**
5-7 (ISO 105-802)**Flame resistance**
BS 5852, ig. s. 2-3
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
IMO A.652 (16)
Italian Class 11M
NF D 60 013
US Cal. Tech. Bull. 117 Sec.E**Magis Spring**L-0110
naturale
naturalL-0120
nero
black**Leather**
European bovine
Tanning
Chrome**Finishing**
Water based pigment
Dyeing
Plain colour**Polyurethane (seat)**1773
bianco
white
Polyurethane1774
nero
black
Polyurethane1775
grigio
grey
Polyurethane1776
blu
blue
Polyurethane1777
grigio-verde
grey-blue
Polyurethane



Cyborg Lord

Kvadrat Divina



F-095 (613)
rosa
pink
Divina MD



F-224 (813)
celeste
sky blue
Divina MD



F-267 (203)
beige
beige
Divina MD



F-356 (943)
verde
green
Divina MD



F-512 (180)
grigio scuro
dark grey
Divina Mélange



Composition
100% new wool

Pilling
3, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)

Abrasion
45 000 Martindale

Lightfastness
5-7 (ISO 105-B02)

Magis Winter



L-0795
nero
black

Leather
European bovine

Tanning
Chrome

Flame resistance
BS 5852 1990 sez.4-NI-0
BS 5852 1990 sez.4-NI-1

Finishing
Water based pigment

Dyeing
Passing



Cyborg Lady

Kvadrat Remix



F-770 (143)
grigio
grey



F-771 (612)
rosa
pink



F-772 (933)
verde
green



F-773 (433)
ocra
ochre



Composition
10% nylon
90% wool

Pilling
Note 4, EN ISO 12945

Flame resistance
AS/NZS 1530.3 - ÖNORM B1/Q1
BS 5852 crib 5
EN 1021-1/2
IMO FTP Code 2010: Part 8
NF D 60 013 - UNI 9175, 11M
NFPA 260
US Cal. Tech. Bull. 117 IMO

Abrasion
100 000 Martindale

Lightfastness
Note 5-7, ISO 105-B02

Magis Winter



L-0795
nero
black

Leather
European bovine

Tanning
Chrome

Flame resistance
BS 5852 1990 sez.4-NI-0
BS 5852 1990 sez.4-NI-1

Finishing
Water based pigment

Dyeing
Passing



First (Dressed)

Kvadrat Divina



F-127 (584)
rosso scuro
dark red
Divina 3



F-490 (696)
viola
purple
Divina 3



F-352 (931)
verde
green
Divina Mélange




F-506 (120)
grigio chiaro
light grey
Divina Mélange



F-509 (170)
grigio scuro
dark grey
Divina Mélange



F-518 (260)
marrone
brown
Divina Mélange



Composition
100% new wool

Pilling
3, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)

Abrasion
45 000 Martindale

Lightfastness
5-7 (ISO 105-B02)



Flower

Kvadrat Star

F-455 (237)
beige
beigeF-486 (777)
viola
purpleF-197 (197)
nero
black**Composition**
100% Trevira CS**Abrasion**
80 000 Martindale**Lightfastness**
MIN. 5 (ISO 105-B02)**Flame resistance**
BS 5852, ig. s. 5
DIN 4102 B1 - ÖNORM B1/Q1
EN 1021-1
FAR.25.853 - IMO A.471 (x4)
NF P 92.507 M1
UNI 9177, cl.1
US Cal. Tech. Bull. 117

Magis Outdoor

F-082
arancio
orangeF-125
rosso
redF-150
fucsia
fuchsiaF-355
verde
greenF-502
grigio antracite
anthracite greyF-735
bianco
white**Composition**
2% PU
98% PP polyolefinic**Abrasion**
40 000 Martindale**Lightfastness**
7 (ISO 1-8)**Flame resistance**
EN 121-2:2006
UNI 9175, 11M

Magis Winter

L-0700
bianco
whiteL-0795
nero
black**Leather**
European bovine**Finishing**
Water based pigment**Tanning**
Chrome**Dyeing**
Passing**Flame resistance**
BS 5852 1990 sez.4-NI-0
BS 5852 1990 sez.4-NI-1

Paso Doble

Magis Sunset

F-736
bianco
whiteF-754
nero
black**Composition**
30% PES
70% PVC**Abrasion**
100 000 Martindale**Lightfastness**
8 (ISO 1-8)

Magis Sunrise

F-484
viola
purpleF-558
verde
greenF-659
arancio
orangeF-754
nero
blackF-762
bianco-nero
white-black
mélange**Composition**
10% cotton
37% PES
59% PVC**Pilling**
EN ISO 12945-2:2000 (4)

Magis Summer

L-0062
nero
black**Leather**
European bovine**Finishing**
Water based pigment**Tanning**
Chrome salts / wet
white / vegetable**Dyeing**
Passing**Flame resistance**
EN 1021-1-2/94
FAR 25853B

Pila

Kvadrat Divina

F-775 (106)
bianco
white
Divina 3F-774 (552)
arancio
orange
Divina 3F-780 (984)
verde
green
Divina 3F-778 (393)
marrone
brown
Divina 3F-779 (191)
nero
black
Divina 3F-777 (713)
grigio
grey
Divina MDF-095 (613)
rosa
pink
Divina MDF-776 (783)
blu
blue
Divina MD**Composition**
100% new wool**Abrasion**
45 000 Martindale**Pilling**
3, EN ISO 12945**Lightfastness**
5-7 (ISO 105-B02)**Flame resistance**
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)



Piña

Kvadrat Star



F-702 (117) bianco white
F-766 (197) nero black



Composition
100% Trevira CS

Abrasion
80 000 Martindale
Lightfastness
MIN. 5 (ISO 105-B02)

Flame resistance
BS 5852, ig. s. 5
DIN 4102 B1 - ÖNORM B1/Q1
EN 1021-1
FAR.25.853 - IMO A.471 (x4)
NF P 92.507 M1
UNI 9177, cl.1
US Cal. Tech. Bull. 117

Kvadrat Steelcut



F-089 (550) rosso corallo coral red
F-256 (775) blu blue
F-351 (935) verde green
F-503 (140) grigio grey
F-730 (110) bianco white
F-767 (190) nero black



Composition
10% nylon
90% new wool

Abrasion
80 000 Martindale

Pilling
3-4, EN ISO 12945

Lightfastness
5-7 (ISO 105-B02)

Flame resistance
AS/NZS 3837 - IMO A.652 (16)
BS 5852, part.1, ig. s. 2
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117

Polyhedra



F-519 (519) grigio grey
F-531 (531) marrone-blu brown-blue




Composition
3% PU
97% PP

Abrasion
40 000 Martindale

Pilling
4-5 (ISO 12945-2)

Lightfastness
7 (ISO 1-8)

Magis Winter



L-0700 (700) bianco white
L-0795 (795) nero black

Leather
European bovine

Finishing
Water based pigment

Tanning
Chrome

Dyeing
Passing

Flame resistance
BS 5852 1990 sez.4-NI-0
BS 5852 1990 sez.4-NI-1



Milà

Fidivi King L



F-359 (7036) verde green
F-198 (8033) nero black

Composition
100% Polyester Trevira CS


Abrasion
70 000 Martindale

Pilling
5, EN ISO 12945

Lightfastness
6 (ISO 105-B02)

Flame resistance
BS 7176 Class Medium Hazard
DIN 4102 Class B1
EN 1021-1&2 - BS Crib 5
EN 13773 Class 1
IMO A.652 (16) Part 8 Upholstery
NF 92501-7 Class M1
NF D 60013 Class AM18
UNI 9174 - 8456 Class C1
UNI 9175, 11M
USA NFPA 701 / 260

Fidivi King L Kat



F-739 (1012) bianco white
F-459 (1025) beige beige
F-579 (3005) giallo yellow
F-130 (4021) rosso red

Composition
100% Polyester Trevira CS

Abrasion
80 000 Martindale

Pilling
5, EN ISO 12945

Lightfastness
6 (ISO 105-B02)

Flame resistance
BS 7176 Class Medium Hazard
DIN 4102 Class B1
EN 1021-1&2 - BS Crib 5
EN 13773 Class 1
IMO A.652 (16) Part 8 Upholstery
NF 92501-7 Class M1
NF D 60013 Class AM18
UNI 9174 - 8456 Class C1
UNI 9175, 11M
USA NFPA 701 / 260



Nimrod

Kvadrat Divina



F-083 (542) arancio orange
Divina 3
F-346 (936) verde green
Divina 3
F-488 (666) viola purple
Divina 3
F-576 (426) giallo yellow
Divina 3



Composition
100% new wool

Abrasion
45 000 Martindale

Pilling
3, EN ISO 12945

Lightfastness
5-7 (ISO 105-B02)

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652 (16)

**Officina****Kvadrat Divina**

F-506 (120)
grigio chiaro
light grey
Divina Mélange



A2 (193)
grigio scuro
dark grey
Divina MD



Composition
100% new wool

Pilling
3, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)

Abrasion
45 000 Martindale

Lightfastness
5-7 (ISO 105-B02)

Magis Leather

L-0059
nero
black



L-0090
naturale
natural

**Officina (Sofà)****Kvadrat Divina**

F-506 (120)
grigio chiaro
light grey
Divina Mélange



Composition
100% new wool

Pilling
3, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)

Abrasion
45 000 Martindale

Lightfastness
5-7 (ISO 105-B02)

Glamour Azimut

BC1 (400)
ocra
ocher

Torri Lana Rico

AT1 (989.070)
grigio antracite
anthracite grey

Composition
14% Linen
30% Viscose
56% Cotton

Pilling
BS EN ISO 12945-2:2002 (3/4)

Abrasion
36 000 Martindale

Lightfastness
BS EN ISO 105-B02 (4-5 / 5)

**Stanley****THINNY_NEW YORK**

F-738 (07)
bianco
white



F-458 (02)
beige
beige



F-758 (00)
nero
black

Composition
20% Polyester (PES)
80% Polivinyl (PVC)

Weight
590 gr/m2

Thickness
1 mm

Breaking Load
Warp 170 Kg/5cm
Weft 275 Kg/5cm

**Steelwood****Kvadrat Divina**

A1 (193)
grigio scuro
dark grey
Divina MD



Composition
100% new wool

Pilling
3, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)

Abrasion
45 000 Martindale

Lightfastness
5-7 (ISO 105-B02)



Substance

Kvadrat Sunniva



F-096 (236)
rosa
pink



F-358 (132)
verde chiaro
light green



F-456 (717)
beige
beige



F-511 (1079)
grigio scuro
dark grey



Composition
25% Viscose
4% Polyester
5% Nylon
58% New wool
8% Linen

Pilling
3, EN ISO 12945

Flame resistance
AS/NZS 3837
BS 5852 part 1, ig.s. 0
DIN 4102 B2
EN 1021-1/2
IMO FTP Code 2010 part 8 med f
US Cal. Bull. 117-2013

Abrasion
50 000 Martindale

Lightfastness
5-7 (ISO 105-B02)

Magis Leather



L-0059
nero
black



L-0090
naturale
natural



Tibu

Kvadrat Steelcut



F-089 (550)
rosso corallo
coral red



F-094 (605)
rosa
pink



F-128 (615)
rosso bordeaux
bordeaux



F-351 (935)
verde chiaro
light green



F-353 (985)
verde oliva
olive green



F-577 (435)
verde lime
lime green



F-742 (240)
beige
beige



F-767 (190)
nero
black



Composition
10% nylon
90% new wool

Pilling
3-4, EN ISO 12945

Flame resistance
AS/NZS 3837 - IMO A.652 (16)
BS 5852, part. 1, ig. s. 2
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60.013 - UNI 9175, 11M
US Cal. Tech. Bull. 117

Abrasion
80 000 Martindale

Lightfastness
5-7 (ISO 105-B02)



Traffic family

Kvadrat Steelcut Trio



F-088 (533)
arancio
orange



F-222 (983)
azzurro
light blue



F-266 (205)
beige
beige



F-354 (953)
verde
green



F-521 (383)
marrone scuro
dark brown



F-578 (453)
giallo
yellow



F-741 (133)
grigio chiaro
light grey



Composition
10% nylon
90% new wool

Pilling
3-4, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-3
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
IMO A.652 (16)
Italian Class 11M
NF D 60.013
US Cal. Tech. Bull. 117 Sec.E

Abrasion
100 000 Martindale

Lightfastness
5-7 (ISO 105-B02)

Polyhedra



F-227
turchese
turquoise



F-257
blu
blue



F-737
bianco
white



F-769
nero
black



Composition
3% PU
97% PP

Pilling
4-5 (ISO 12945-2)

Abrasion
40 000 Martindale

Lightfastness
7 (ISO 1-B)

Dani Florida



L-0065 (2002)
grigio antracite
anthracite grey



L-0112 (2068)
marrone
brown

Leather
European bovine

Tanning
Chrome salts

Lightfastness
6, ISO 105-B02

Flame resistance
California TB 117 Section E
EN 1021-1-2
IMO A.652 (16)
NFPA 260/UFAC

Finishing
Aniline

Dyeing
Aniline

Tear resistance
20 N, EN ISO 3377-1

Fastness to Rubbing
4, Alkaline perspiration rub
4, Dry rub fastness - 1000 cycles,
ISO 11640
4, Wet rub fastness - 250 cycles,
ISO 11640
Fastness - 80 cycles, ISO 11640



Troy Fully Covered

Kvadrat Divina



F-126 (531)
rosso
red
Divina Mélange



F-251 (773)
blu
blue
Divina MD



F-492 (581)
viola
purple
Divina Mélange



F-506 (120)
grigio chiaro
light grey
Divina Mélange



F-509 (170)
grigio
grey
Divina Mélange



F-512 (180)
grigio scuro
dark grey
Divina Mélange



Troy Front Cover

Kvadrat Divina



F-095 (613)
rosa
pink
Divina MD



F-224 (813)
celeste
sky blue
Divina MD



F-356 (943)
verde
green
Divina MD



F-512 (180)
grigio scuro
dark grey
Divina Mélange

Kvadrat Steelcut Trio



F-088 (533)
arancio
orange



F-255 (733)
azzurro
light blue



F-357 (933)
verde
green



F-578 (453)
giallo
yellow

Kvadrat Steelcut



F-767 (190)
nero
black

Magis Winter



L-0795
nero
black

Composition
100% new wool

Pilling
3, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)

Abrasion
45 000 Martindale

Lightfastness
5-7 (ISO 105-B02)



Composition
100% new wool

Pilling
3, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-5
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117 - A.652
(16)

Abrasion
45 000 Martindale

Lightfastness
5-7 (ISO 105-B02)



Composition
10% nylon
90% new wool

Pilling
3-4, EN ISO 12945

Flame resistance
BS 5852, ig. s. 2-3
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
IMO A.652 (16)
Italian Class 11M
NF D 60 013
US Cal. Tech. Bull. 117 Sec.E

Abrasion
100 000 Martindale

Lightfastness
5-7 (ISO 105-B02)



Composition
10% nylon
90% new wool

Pilling
3-4, EN ISO 12945

Flame resistance
AS/NZS 3837 - IMO A.652 (16)
BS 5852, part.1, ig. s. 2
DIN 4102 B2 - ÖNORM B1/Q1
EN 1021-1/2
NF D 60 013 - UNI 9175, 11M
US Cal. Tech. Bull. 117

Abrasion
80 000 Martindale

Lightfastness
5-7 (ISO 105-B02)

Leather
European bovine

Tanning
Chrome

Flame resistance
BS 5852 1990 sez.4-NI-0
BS 5852 1990 sez.4-NI-1

Finishing
Water based pigment

Dyeing
Passing


Vanity
Glamour Azimut

BC1 (500) verde green
BC2 (600) azzurro light blue
BC3 (700) rosa pink

Kvadrat Field

F-080 (542) arancio orange
F-120 (662) rosso red
F-265 (232) beige beige
F-505 (142) bianco-nero white-black mélange
F-520 (252) grigio-marrone grey-brown mélange
F-768 (192) nero black

Magis Winter

L-0700 bianco white
L-0751 marrone scuro dark brown
L-0795 nero black



Composition
100% Trevira CS

Abrasion
100 000 Martindale
Lightfastness
5-7 (ISO 105-802)

Flame resistance
BS 5852, ig. s. 5
DIN 4102 B1 - ÖNORM B1/Q1
EN 1021-1/2
FAR.25.853
NF P 92 507 M1
UNI 9177, cl.1
US Cal. Tech. Bull. 117

Leather
European bovine
Tanning
Chrome

Finishing
Water based pigment

Flame resistance
BS 5852 1990 sez.4-NI-0
BS 5852 1990 sez.4-NI-1

Dyeing
Passing


Venice
Rubber (back)

R-081 arancio orange
PANTONE 021 C
R-151 fucsia fuchsia
PANTONE PURPLE C
R-256 azzurro light blue
PANTONE PROCESS BLUE C
R-351 verde green
PANTONE 375 C
R-503 grigio grey
PANTONE COOL GREY 7 C
R-756 nero black
PANTONE BLACK C

Kvadrat Scuba

F-085 (021) rosso mattone brick red
F-255 (016) blu blue
F-347 (013) verde scuro dark green
F-483 (018) viola scuro dark purple
F-501 (009) grigio scuro dark grey
F-755 (007) nero black



Composition
100% Polyuretane

Abrasion
100 000 Martindale
Lightfastness
5-6 (ISO 105-802)

Pilling
5 EN ISO 12945
Flame resistance
BS 5852, ig. s. 5
DIN 4102 B1 - ÖNORM B1/Q1
EN 1021-1
EN 1021-1/2
US Cal. Tech. Bull. 117
with FR treatment:

Leather
European bovine
Tanning
Chrome salts / wet white / vegetable
Flame resistance
EN 1021-1-2/94
FAR 25853B

Finishing
Water based pigment
Dyeing
Passing

Magis Autumn

L-0073 nero black
L-0092 naturale natural



Magis cross_reference
(Plastic)

16/3/2018



360° (Chair + Stool)

Matt

1764 C RAL 9004
nero
black



360° (Container)

Glossy

1120 CL RAL 3020
rosso
red

1658 CL RAL 2010
arancio
orange

1673 CL RAL 9010
bianco
white

1707 CL RAL 7032
grigio chiaro
light grey

1764 CL RAL 9004
nero
black



Air-Family (Air-Chair)

Matt

1086 C PANTONE 485 M
arancio
orange

1320 C PANTONE 7489 M
verde
green

1450 C PANTONE 7529 M
beige
beige

1690 C RAL 9016
bianco puro
pure white

1730 C PANTONE COOL GREY 1 M
bianco
white

1751 C PANTONE PROCESS BLACK M
nero
black



Air-Family (Air-Armchair)

Matt

1086 C PANTONE 485 M
arancio
orange

1320 C PANTONE 7489 M
verde
green

1418 C RAL 7015
grigio antracite
grey anthracite

1450 C PANTONE 7529 M
beige
beige

1690 C RAL 9016
bianco puro
pure white

1730 C PANTONE COOL GREY 1 M
bianco
white



Air-Family (Folding Air-Chair)

Matt

1086 C PANTONE 485 M
arancio
orange

1320 C PANTONE 7489 M
verde
green

1730 C PANTONE COOL GREY 1 M
bianco
white



Air-Family (Air-Table)

Matt

1450 C PANTONE 7529 M
beige
beige

1730 C PANTONE COOL GREY 1 M
bianco
white



Annett

Matt

1763 C RAL 9017
nero
black



Bombo

Matt

1125 C PANTONE 200 M
rosso
red

1400 C PANTONE 7531 M
marrone
brown

1420 C RAL 7016
grigio antracite
grey anthracite

1690 C RAL 9016
bianco
white

Glossy

1673 CL RAL 9010
bianco
white

1763 CL RAL 9017
nero
black



Boogie woogie

Glossy

1127 CL RAL 3018
rosso
red

1673 CL RAL 9010
bianco
white

1763 CL RAL 9017
nero
black



Bottle

Matt

1680 C RAL 9003
bianco
white

Trasparent

2080 TR
trasparente neutro
trasparent



Cu-Clock

Matt

1086 C PANTONE 485 M
arancio
orange

1342 C PANTONE 376 M
verde
green

1735 C RAL 9010
bianco
white



Cyborg

Glossy

1736 CL RAL 9003
bianco
white

1763 CL RAL 9017
nero
black

Trasparent

2507 TR
trasparente fumè
trasparent fumè

2540 TR
trasparente neutro
trasparent



Dish Doctor

Glossy

1090 CL RAL 2009
arancio
orange

1290 CL PANTONE 361 M
verde
green

1690 CL RAL 9016
bianco
white

Trasparent

2080 TR
traslucido neutro
translucent

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.



First family

Matt

| | |
|--|--|
| | 1450 C PANTONE 7529 M beige beige |
| | 1664 C PANTONE 7498 M verde oliva olive green |
| | 1735 C RAL 9010 bianco white |
| | 1763 C RAL 9017 nero black |



La Valise

Glossy

| | |
|--|---|
| | 1285 CL PANTONE 370 M verde green |
| | 1355 CL PANTONE 397 M verde chiaro light green |
| | 1395 CL PANTONE COOL GREY 3 M grigio grey |
| | 1735 CL RAL 9010 bianco white |



My Storage

Matt

| | |
|--|--|
| | 1138 C PANTONE 1788 M rosso red |
| | 1673 C RAL 9010 bianco white |



Milà

Matt

| | |
|--|--|
| | 1484 C NCS S 3560 R rosso red |
| | 1556 C NCS S 7020 G10Y verde scuro dark green |
| | 1666 C NCS S 2060 Y10R giallo yellow |
| | 1733 C NCS S 4005 Y20R beige beige |
| | 1738 C RAL 9010 bianco white |
| | 1769 C RAL 9011 nero black |



Nimrod

Matt

| | |
|--|---|
| | 1736 C RAL 9003 bianco white |
|--|---|



Nuovastep

Glossy

| | |
|--|--|
| | 1734 CL RAL 9016 bianco white |
| | 1750 CL RAL 8022 nero black |



Officina (Chair + Stool)

Matt

| | |
|--|--|
| | 1555 C RAL 6008 verde scuro dark green |
| | 1761 C RAL 9007 grigio metallizzato metallic grey |
| | 1763 C RAL 9017 nero black |



Flò

Glossy

| | |
|--|--|
| | 1420 CL RAL 7016 grigio antracite grey anthracite |
| | 1660 CL PANTONE 166 M arancio orange |



Flower

Trasparent

| | |
|--|---|
| | 2540 TR trasparente neutro transparent |
|--|---|



Folly

Matt

| | |
|--|--|
| | 1069 C RAL 8017 marrone corten brown corten |
|--|--|



Globo

Matt

| | |
|--|--|
| | 1360 C PANTONE 375 M verde green |
| | 1385 C PANTONE 114 M giallo chiaro light yellow |
| | 1405 C RAL 7003 grigio grey |
| | 1635 C PANTONE 306 M azzurro sky blue |
| | 1660 C PANTONE 166 M arancio orange |
| | 1700 C RAL 9002 bianco white |



Magis Proust

Matt

| | |
|--|---|
| | C multicolor multicolor |
| | 1087 C RAL 2003 arancio orange |
| | 1114 C PANTONE 186 M rosso red |
| | 1192 C PANTONE 289 M blu blue |
| | 1735 C RAL 9010 bianco white |
| | 1763 C RAL 9017 nero black |



Magò

Matt

| | |
|--|---|
| | 1140 C PANTONE 7425 M fucsia fucsia |
| | 1430 C RAL 9004 grigio antracite grey anthracite |
| | 1660 C PANTONE 166 M arancio orange |
| | 1700 C RAL 9002 bianco white |



Mariolina

Matt

| | |
|--|---|
| | 1085 C PANTONE 7417 M arancio orange |
| | 1420 C RAL 7016 grigio antracite grey anthracite |
| | 1700 C RAL 9002 bianco white |



Officina (Coat Stand)

| | | | |
|-------------|---------------|----------|-------------|
| Matt | | | |
| | 1770 C | RAL 9017 | nero black |
| | 1771 C | RAL 9007 | grigio grey |
| | 1772 C | RAL 6021 | verde green |



Pebbles

| | | | |
|---------------|----------------|----------|------------|
| Glossy | | | |
| | 1127 CL | RAL 3018 | rosso red |
| | 1763 CL | RAL 9017 | nero black |



Pizza Table

| | | | |
|---------------|----------------|----------|--------------------------|
| Glossy | | | |
| | 1077 CL | RAL 8019 | marrone scuro dark brown |
| | 1736 CL | RAL 9003 | bianco white |



Plus Unit

| | | | |
|---------------|----------------|----------|--------------|
| Glossy | | | |
| | 1120 CL | RAL 3020 | rosso red |
| | 1735 CL | RAL 9003 | bianco white |



Poppins

| | | | |
|---------------|----------------|----------|----------------|
| Glossy | | | |
| | 1088 CL | RAL 3028 | arancio orange |
| | 1673 CL | RAL 9010 | bianco white |
| | 1764 CL | RAL 9004 | nero black |



Raviolo

| | | | |
|-------------|---------------|----------------------|----------------------------------|
| Matt | | | |
| | 1001 C | PANTONE ORANGE 021 M | arancio orange |
| | 1004 C | RAL 3028 | rosso red |
| | 1069 C | RAL 8017 | marrone corten brown corten |
| | 1156 C | PANTONE 2612 M | viola purple |
| | 1346 C | PANTONE 583 M | verde pistacchio green pistachio |
| | 1517 C | RAL 6003 | verde oliva olive green |
| | 1665 C | RAL 1023 | giallo yellow |
| | 1735 C | RAL 9010 | bianco white |



Sam Son

| | | | |
|-------------|---------------|---------------|----------------------------------|
| Matt | | | |
| | 1004 C | RAL 3028 | rosso red |
| | 1014 C | RAL 1027 | giallo curry curry yellow |
| | 1429 C | PANTONE 419 U | grigio antracite grey anthracite |
| | 1735 C | RAL 9010 | bianco white |



Spun

| | | | |
|-------------|---------------|----------|----------------------------------|
| Matt | | | |
| | 1004 C | RAL 3028 | rosso red |
| | 1133 C | RAL 3007 | viola scuro dark purple |
| | 1428 C | RAL 7021 | grigio antracite grey anthracite |
| | 1735 C | RAL 9010 | bianco white |



Stanley

| | | | |
|-------------|---------------|-----------------|--------------|
| Matt | | | |
| | 1733 C | NCS S 4005-Y20R | beige beige |
| | 1735 C | RAL 9010 | bianco white |
| | 1765 C | NCS S 8500-N | nero black |



Substance

| | | | |
|-------------|---------------|---------------|---------------------------|
| Matt | | | |
| | 1015 C | PANTONE 103 C | giallo curry curry yellow |
| | 1452 C | RAL 7006 | grigio beige beige grey |
| | 1735 C | RAL 9010 | bianco white |
| | 1768 C | RAL 9017 | nero black |



Tempo

| | | | |
|-------------|---------------|---------------|----------------|
| Matt | | | |
| | 1086 C | PANTONE 485 M | arancio orange |
| | 1735 C | RAL 9010 | bianco white |
| | 1737 C | RAL 9001 | grigio grey |
| | 1750 C | RAL 8022 | nero black |

The wild bunch

| | | | |
|-------------|---------------|----------------------|------------------|
| Matt | | | |
| | 1735 C | RAL 9010 | bianco white |
| | 1754 C | RAL 9004 | nero black |
| | 1780 C | PANTONE ORANGE 021 | arancio orange |
| | 1781 C | PANTONE PROCESS BLUE | azzurro sky blue |
| | 1782 C | RAL 3020 | rosso red |
| | 1783 C | PANTONE 347 | verde green |
| | 1784 C | PANTONE YELLOW 012 | giallo yellow |



Tibu

| | | | |
|-------------|---------------|----------|-------------|
| Matt | | | |
| | 1712 C | RAL 1013 | beige beige |
| | 1764 C | RAL 9004 | nero black |

**Tide****Glossy**

| | |
|--|--|
| | 1127 CL RAL 3018 rosso red |
| | 1673 CL RAL 9010 bianco white |
| | 1763 CL RAL 9017 nero black |

**Tosca****Trasparent**

| | |
|--|---|
| | 2540 TR trasparente neutro transparent |
|--|---|

**Transit****Matt**

| | |
|--|---|
| | 1690 C RAL 9016 bianco white |
|--|---|

**Trash****Matt**

| | |
|--|--|
| | 1450 C PANTONE 7529 M beige beige |
| | 1730 C PANTONE COOL GREY 1 M bianco white |
| | 1750 C RAL 8022 nero black |

**Trattoria****Trasparent**

| | |
|--|---|
| | 2480 TR trasparente verde transparent green |
| | 2495 TR trasparente giallo transparent yellow |
| | 2503 TR trasparente marrone transparent brown |
| | 2513 TR trasparente rosso transparent red |
| | 2531 TR trasparente azzurro transparent sky blue |

**Troy Family****Matt**

| | |
|--|---|
| | 1000 C PANTONE PROCESS YELLOW M giallo yellow |
| | 1157 C PANTONE 2603 M viola purple |
| | 1354 C PANTONE 382 M verde green |
| | 1479 C NCS S 3050-Y40R marrone brown |
| | 1483 C PANTONE RED 032 M rosso red |
| | 1490 C NCS S 0580-Y80R rosso corallo coral red |
| | 1557 C NCS S 6030-G70Y verde scuro dark green |
| | 1629 C NCS S 2020-Y80R rosa pink |
| | 1733 C NCS S 4005-Y20R beige beige |
| | 1735 C RAL 9010 bianco white |
| | 1763 C RAL 9017 nero black |

**Tubby****Matt**

| | |
|--|---|
| | 1736 C RAL 9003 bianco white |
|--|---|

**Vanity****Trasparent**

| | |
|--|---|
| | 2540 TR trasparente neutro transparent |
|--|---|

**Vigna****Matt**

| | |
|--|--|
| | 1015 C PANTONE 103 M giallo curry curry yellow |
| | 1129 C RAL 3016 rosso red |
| | 1288 C PANTONE 377 M verde green |
| | 1417 C RAL 7042 grigio grey |
| | 1419 C PANTONE 435 M grigio caldo warm grey |
| | 1423 C RAL 7026 grigio granito granite grey |
| | 1487 C PANTONE 5185 M viola porpora purple violet |
| | 1673 C RAL 9010 bianco white |

**Voido****Matt**

| | |
|--|--|
| | 1069 C RAL 8017 marrone corten brown corten |
| | 1110 C RAL 2002 arancio orange |
| | 1395 C PANTONE COOL GREY 3 M grigio chiaro light grey |
| | 1736 C RAL 9003 bianco white |

Glossy

| | |
|--|--|
| | 1763 CL RAL 9017 nero black |
|--|--|

**Yuyu****Matt**

| | |
|--|---|
| | 1086 C PANTONE 485 M arancio orange |
| | 1450 C PANTONE 7529 M beige beige |
| | 1666 C NCS S 2060 Y10R giallo yellow |

**Zartan****Matt**

| | |
|--|--|
| | 1054 C RAL 1017 arancio orange |
| | 1327 C PANTONE 5655 M verde chiaro light green |
| | 1426 C RAL 7012 grigio scuro dark grey |
| | 1567 C PANTONE 393 M giallo chiaro light yellow |
| | 1709 C RAL 7047 grigio chiaro light grey |
| | 1735 C RAL 9010 bianco white |
| | 1768 C RAL 9017 nero black |



Magis cross_referenze (Plastic)

16/3/2018

**Alma**

| | | |
|-------------|------------------|---------------|
| Matt | 1037 C | RAL 1034 |
| | giallo yellow | |
| | 1342 C | PANTONE 376 M |
| | verde green | |
| | 1478 C | RAL 8012 |
| | marrone brown | |
| | 1690 C | RAL 9016 |
| | bianco white | |

**Bunky**

| | | |
|-------------|--------------------------------|---------------------------|
| Matt | 1218 C | PANTONE 2985 C |
| | blu chiaro light blue | |
| | 1226 C | |
| | blu blue | |
| | 1232 C | PANTONE PROCEDURAL BLUE C |
| | blu scuro dark blue | |
| | 1652 C | PANTONE 714 C |
| | arancio chiaro light orange | |
| | 1654 C | |
| | arancio orange | |
| | 1656 C | PANTONE 717 C |
| | arancio scuro dark orange | |
| | 1736 C | RAL 9003 |
| | bianco white | |

**Dodo**

| | | |
|-------------|------------------|---------------|
| Matt | 1004 C | RAL 3028 |
| | rosso red | |
| | 1025 C | RAL 1007 |
| | giallo yellow | |
| | 1252 C | PANTONE 300 M |
| | blu blue | |
| | 1735 C | RAL 9010 |
| | bianco white | |

**Downtown**

| | | |
|-------------|-----------------|----------|
| Matt | 1736 C | RAL 9003 |
| | bianco white | |

**El Baul**

| | | |
|-------------|-----------------|----------|
| Matt | 1700 C | RAL 9002 |
| | bianco white | |

**Eur**

| | | |
|-------------|--------------------------|---------------|
| Matt | 1092 C | PANTONE 167 M |
| | terracotta terracotta | |
| | 1606 C | PANTONE 653 M |
| | blu blue | |

**Happy Bird**

| | | |
|-------------|-------------------|----------------|
| Matt | 1085 C | PANTONE 7417 M |
| | arancio orange | |
| | 1665 C | RAL 1023 |
| | giallo yellow | |
| | 1735 C | RAL 9010 |
| | bianco white | |

**Julian**

| | | |
|-------------|------------------|---------------|
| Matt | 1122 C | RAL 3031 |
| | rosso red | |
| | 1290 C | PANTONE 361 M |
| | verde green | |
| | 1665 C | RAL 1023 |
| | giallo yellow | |
| | 1735 C | RAL 9010 |
| | bianco white | |

**Ladrillos**

| | | |
|-------------|---------------------------|----------------|
| Matt | 1006 C | RAL 4010 |
| | fucsia fucsia | |
| | 1025 C | RAL 1007 |
| | giallo yellow | |
| | 1085 C | PANTONE 7417 M |
| | arancio orange | |
| | 1220 C | PANTONE 292 M |
| | azzurro sky blue | |
| | 1252 C | PANTONE 300 M |
| | blu blue | |
| | 1281 C | RAL 6000 |
| | verde scuro dark green | |
| | 1360 C | PANTONE 375 M |
| | verde green | |
| | 1623 C | PANTONE 688 M |
| | rosa pink | |

**Le Chien Savant**

| | | |
|-------------|-------------------|---------------|
| Matt | 1315 C | NCS 0560 G50Y |
| | verde green | |
| | 1569 C | NCS 0540 G80Y |
| | giallo yellow | |
| | 1628 C | NCS 0510 Y80R |
| | rosa pink | |
| | 1647 C | NCS 0560 Y60R |
| | arancio orange | |
| | 1735 C | NCS S 0300 N |
| | bianco white | |

**Linus**

| | | |
|-------------|-----------------|----------|
| Matt | 1690 C | RAL 9016 |
| | bianco white | |

**Little Big**

| | | |
|-------------|---------------------|----------------|
| Matt | 1086 C | PANTONE 485 M |
| | arancio orange | |
| | 1256 C | PANTONE 7460 M |
| | azzurro sky blue | |
| | 1735 C | RAL 9010 |
| | bianco white | |

**Nido**

| | | |
|-------------|-------------------------------------|---------------|
| Matt | 1025 C | RAL 1037 |
| | giallo yellow | |
| | 1290 C | PANTONE 361 M |
| | verde green | |
| | 1420 C | RAL 7016 |
| | grigio antracite grey anthracite | |

**Flying Carpet**

| | | |
|-------------|-----------------|----------|
| Matt | 1700 C | RAL 9002 |
| | bianco white | |

**Seggiolina Pop**

| | | |
|-------------|-------------------|----------------|
| Matt | 1082 C | PANTONE 1645 M |
| | arancio orange | |
| | 1606 C | PANTONE 653 M |
| | blu blue | |
| | 1638 C | PANTONE 7488 M |
| | verde green | |

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.



Paradise Tree

Matt

| | | |
|--|---|---------------|
| | 1001 C arancio orange | RAL 2004 |
| | 1004 C rosso red | RAL 3028 |
| | 1220 C blu chiaro light blue | PANTONE 292 M |
| | 1360 C verde green | PANTONE 375 M |
| | 1665 C giallo yellow | RAL 1023 |
| | 1735 C bianco white | RAL 9010 |



Piedras

Matt

| | | |
|--|--|----------|
| | 1407 C grigio antracite grey anthracite | RAL 7016 |
|--|--|----------|



Pingy

Matt

| | | |
|--|----------------------------------|----------|
| | 1735 C bianco white | RAL 9010 |
| | 1763 C nero black | RAL 9017 |



Puppy

Matt

| | | |
|--|---|----------------------|
| | C dalmata dalmatian | |
| | 1001 C arancio orange | PANTONE ORANGE 021 M |
| | 1360 C verde green | PANTONE 375 M |
| | 1700 C bianco avorio ivory white | RAL 9002 |



Rocky

Matt

| | | |
|--|-----------------------------------|----------|
| | 1069 C marrone brown | RAL 8017 |
| | 1736 C bianco white | RAL 9003 |
| | 1763 C nero black | RAL 9017 |



Trioli

Matt

| | | |
|--|-----------------------------------|---------------|
| | 1004 C rosso red | RAL 3028 |
| | 1252 C blu blue | PANTONE 300 M |
| | 1665 C giallo yellow | RAL 1023 |
| | 1700 C bianco white | RAL 9002 |



Trotter

Matt

| | | |
|--|------------------------------------|----------|
| | 1089 C arancio orange | RAL 2004 |
| | 1283 C verde green | RAL 6002 |



Magis cross_referenze (Metal)

16/3/2018

**360° (Chair + Stool)**

| | | |
|---------|---------------|------------|
| Painted | 5124 M | RAL 7032 |
| | grigio chiaro | light grey |
| | 5141 M | RAL 9004 |
| | nero | black |

**Annett**

| | | |
|---------|---------|----------|
| Coated | 5200 M | |
| | cromato | chromed |
| Painted | 5140 M | RAL 9017 |
| | nero | black |

**Big Will**

| | | |
|----------|--------|----------|
| Painted | 5110 M | RAL 9010 |
| | bianco | white |
| | 5140 M | RAL 9017 |
| | nero | black |
| Polished | 5230 M | |
| | lucido | polished |

**Bombo**

| | | |
|--------|---------|---------|
| Coated | 5200 M | |
| | cromato | chromed |

**Burearama**

| | | |
|---------|--------------|-------------|
| Painted | 5119 M | RAL 7040 |
| | grigio | grey |
| | 5140 M | RAL 9017 |
| | nero | black |
| | 5266 M | |
| | arancio fluo | orange fluo |
| | 5267 M | RAL 5005 |
| | blu | blue |
| | 5268 M | RAL 1016 |
| | giallo | yellow |

**Brut**

| | | |
|---------|------------------|-----------------|
| Painted | 5126 M | RAL 6033 |
| | verde | green |
| | 5142 M | RAL 7015 |
| | grigio antracite | anthracite grey |
| | 5143 M | RAL 3016 |
| | rosso | rosso |

**Bottle**

| | | |
|-----------|----------|-----------|
| Satinated | 5245 M | |
| | satinato | satinated |

**Chair_One**

| | | |
|----------|-------------------------------|----------------------------|
| Anodized | 5215 M | |
| | anodizzato | anodised |
| | 5220 M | |
| | anodizzato nero | anodised black |
| Coated | 5085 M | RAL 3020 |
| | rosso | red |
| | 5110 M | RAL 9010 |
| | bianco | white |
| | 5122 M | PANTONE COOL GREY 11 C |
| | grigio antracite metallizzato | grey anthracite metallised |
| | 5130 M | RAL 9005 |
| | nero | black |
| | 5253 M | RAL 9003 |
| | bianco | white |
| | 5254 M | PANTONE 401 U |
| | grigio | grey |
| | 5255 M | RAL D2 2404020 |
| | blu | blue |
| | 5256 M | NCS S 5010-G30Y |
| | grigio-verde | grey-blue |
| Polished | 5230 M | |
| | lucido | polished |



Stool_One

| | | |
|----------|--------------|-----------------|
| Coated | 5085 M | RAL 3020 |
| | rosso | red |
| | 5110 M | RAL 9010 |
| | bianco | white |
| | 5130 M | RAL 9005 |
| | nero | black |
| | 5253 M | RAL 9003 |
| | bianco | white |
| | 5254 M | PANTONE 401 U |
| | grigio | grey |
| | 5255 M | RAL D2 2404020 |
| | blu | blue |
| | 5256 M | NCS S 5010-G30Y |
| | grigio-verde | grey-blue |
| Polished | 5230 M | |
| | lucido | polished |



Cyborg

| | | |
|---------|--------------|-----------|
| Painted | 5251 M | |
| | beige | beige |
| | 5252 M | |
| | grigio scuro | dark grey |



Deja-vu

| | | |
|----------|--------|----------|
| Painted | 5140 M | RAL 9017 |
| | nero | black |
| Polished | 5230 M | |
| | lucido | polished |



Flux

| | | |
|--------|---------|--------------------------|
| Coated | 5033 M | PANTONE PROCESS YELLOW C |
| | giallo | yellow |
| | 5055 M | RAL 5015 |
| | azzurro | sky blue |
| | 5087 M | PANTONE RED 032 C |
| | rosso | red |



Mariolina

| | | |
|--------|---------|---------|
| Coated | 5200 M | |
| | cromato | chromed |



Milà

| | | |
|---------|-------------|-----------------|
| Painted | 5263 M | RAL 9010 |
| | bianco | white |
| | 5264 M | RAL 9011 |
| | nero | black |
| | 5265 M | NCS S 7020 G10Y |
| | verde scuro | dark green |



Officina

| | | |
|------------|------------------|-----------------|
| Galvanized | 5250 M | |
| | zincato a caldo | galvanized |
| Painted | 5142 M | RAL 7015 |
| | grigio antracite | anthracite grey |



Piña

| | | |
|---------|---------------|-------------------|
| Painted | 5038 M | NCS S 3010 - G40Y |
| | verde chiaro | light green |
| | 5054 M | RAL 5003 |
| | blu | blue |
| | 5084 M | NCS S 0580 - Y80R |
| | rosso corallo | coral red |
| | 5108 M | RAL 9003 |
| | bianco | white |
| | 5119 M | RAL 7040 |
| | grigio | grey |
| | 5140 M | RAL 9017 |
| | nero | black |



Piña (outdoor)

| | | |
|---------|---------|----------|
| Painted | 5070 M | RAL 8019 |
| | marrone | brown |
| | 5108 M | RAL 9003 |
| | bianco | white |



Pipe

| | | |
|----------|---------------|----------------|
| Painted | 5031 M | NCS S 3060 - Y |
| | giallo senape | yellow |
| | 5107 M | RAL 9002 |
| | bianco | white |
| | 5130 M | RAL 9005 |
| | nero | black |
| Polished | 5230 M | |
| | lucido | polished |



Pizza Table

| | | |
|---------|---------------|---------------|
| Painted | 5070 M | RAL 8019 |
| | marrone scuro | marrone scuro |
| | 5108 M | RAL 9003 |
| | bianco | white |

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.



Sequoia

| Painted | | |
|---------|--------|--|
| | 5257 M | RAL 1015 avorio ivory |
| | 5258 M | RAL 9005 nero black |
| | 5259 M | NCS S 0580-Y80R rosso corallo coral red |
| | 5260 M | NCS S 7020-G10Y verde scuro dark green |
| | 5261 M | RAL 7048 grigio metallizzato grey metallised |
| | 5262 M | RAL 8001 marrone oca ocher brown |



Steelwood

| Painted | | |
|---------|--------|---|
| | 5083 M | RAL 3020 rosso red |
| | 5108 M | RAL 9003 bianco white |
| | 5119 M | RAL 7040 grigio grey |
| | 5140 M | RAL 9017 nero black |
| | 5142 M | RAL 7015 grigio antracite anthracite grey |



Substance

| Anodized | | |
|----------|--------|-----------------------------------|
| | 5215 M | anodizzato anodised |
| | 5220 M | anodizzato nero anodised black |
| Coated | | |
| | 5200 M | cromato chromed |
| Painted | | |
| | 5110 M | RAL 9010 bianco white |
| | 5140 M | RAL 9017 nero black |



Tibu

| Painted | | |
|---------|--------|--|
| | 5029 M | NCS S 2060 G90Y lime lime |
| | 5039 M | NCS S 6030 Y verde oliva olive green |
| | 5041 M | NCS S 3010 G40Y verde chiaro light green |
| | 5046 M | NCS S 3560 R rosso bordeaux bordeaux |
| | 5084 M | NCS S 0580 Y80R rosso corallo coral red |
| | 5089 M | NCS S 3020 Y70R rosa pink |
| | 5123 M | NCS S 2005 Y30R beige beige |
| | 5130 M | RAL 9005 nero black |



Traffic

| Painted | | |
|---------|--------|---------------------------------|
| | 5011 M | NCS S 1500 N bianco white |
| | 5013 M | RAL 9004 nero black |



Transit

| Polished | | |
|----------|--------|--------------------|
| | 5230 M | lucido polished |



Troy Family

| Coated | | |
|---------|--------|-----------------------------|
| | 5200 M | cromato chromed |
| Painted | | |
| | 5110 M | RAL 9010 bianco white |
| | 5140 M | RAL 9017 nero black |



Troy Family (wireframe)

| Coated | | |
|---------|--------|-----------------------------|
| | 5205 M | oro gold |
| | 5210 M | rame copper |
| Painted | | |
| | 5110 M | RAL 9010 bianco white |
| | 5140 M | RAL 9017 nero black |



Venice

| Painted | | |
|----------|--------|-----------------------------|
| | 5110 M | RAL 9010 bianco white |
| | 5130 M | RAL 9005 nero black |
| Polished | | |
| | 5230 M | lucido polished |



Vigna

| Painted | | |
|---------|--------|--|
| | 5047 M | PANTONE 5185 M viola porpora purple violet |
| | 5072 M | RAL 7026 grigio granito granite grey |
| | 5110 M | RAL 9010 bianco white |
| | 5117 M | PANTONE 435 M grigio caldo warm grey |

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.




XZ3

Coated

5205 M
oro
gold5210 M
rame
copper

Painted

5110 M RAL 9010
bianco
white5140 M RAL 9017
nero
black

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.